



# Semantic Interoperability Courses

## Course Module 1 Introduction and overview of existing initiatives

# Disclaimer

*This training material was prepared for the ISA programme of the European Commission by PwC EU Services.*

*The views expressed in this report are purely those of the authors and may not, in any circumstances, be interpreted as stating an official position of the European Commission.*

*The European Commission does not guarantee the accuracy of the information included in this study, nor does it accept any responsibility for any use thereof.*

*Reference herein to any specific products, specifications, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favouring by the European Commission.*

*All care has been taken by the author to ensure that s/he has obtained, where necessary, permission to use any parts of manuscripts including illustrations, maps, and graphs, on which intellectual property rights already exist from the titular holder(s) of such rights or from her/his or their legal representative.*

# Learning objectives

*By the end of this training you should have an understanding of:*

- Interoperability and semantic interoperability and how they relate.
- The basics on semantic interoperability
- The basics to achieve semantic interoperability.
- Existing semantic interoperability initiatives.

## 1. Definitions

- Introductory definitions
  - Interoperability
  - Semantic interoperability
  - How to achieve semantic interoperability?

## 2. Semantic interoperability conflicts

- What conflicts can arise without managing interoperability?
  - Data-level conflicts
  - Schema-level conflicts

## 3. Examples of existing initiatives


- ISA Programme Action 1.1
- INSPIRE Data Models
- EU Large-scale pilots
- UN/CEFACT
- US National Information Exchange Model

# What is interoperability?

*Interoperability, within the context of European public service delivery, is the ability of disparate and diverse organisations to interact towards mutually beneficial and agreed common goals, involving the sharing of information and knowledge between the organisations, through the business processes they support, by means of the exchange of data between their respective ICT systems.*

# The ABC of interoperability

- **A**dmistrations, **B**usiness and **C**itizens must interact efficiently and effectively.
- They therefore need interoperable electronic information exchange.
- Interoperability addresses the need for:
  - Cooperation among public administrations with the aim to establish public services;
  - Exchanging information among public administrations to fulfil legal requirements or political commitments;
  - Sharing and reusing information among public administrations to increase administrative efficiency and cut red tape for citizens and businesses.



Source: EIF, [http://ec.europa.eu/isa/documents/isa\\_annex\\_ii\\_eif\\_en.pdf](http://ec.europa.eu/isa/documents/isa_annex_ii_eif_en.pdf)

# Levels of interoperability

## Legal

- Aligned legislation and legal meaning

## Organisational

- Coordinated processes

## Semantic

- Preservation of precise meaning of information

## Technical

- Technical linking of systems

# Definition: semantic interoperability

## Preservation of meaning

- Semantic interoperability enables organisations to **process information from external sources** in a meaningful manner.
- It ensures that the **precise meaning** of exchanged information is **understood and preserved** throughout exchanges between parties.
- Benefits of semantic interoperability are:
  - Reduction of errors
  - Management of costs
  - Monitoring and responding to trends & problems
  - Expanding knowledge



# Definition: structural metadata

Indication of meaning and structure

**Metadata** is **data** that defines and describes other data (ISO/IEC 11179-1).

**Structural metadata:** data that gives *meaning* to data and indicates how it is *structured*:

- A **data model** is a collection of entities, their properties and the relationships among them, which aims at formally representing a domain, a concept or a real-world thing.
- **Reference data** is a small, discrete set of values that are not updated as part of business transactions but are usually used to impose consistent classification. Reference data normally has a low update frequency.

# How to achieve?

Forge a semantic interoperability agreement on structural metadata

Semantic interoperability agreement:

- A social approach to agree on common specifications for naming things.
- An agreement on structural metadata (models and reference data) used in information exchanges.
- It ensures that data elements are understood in the same way by communicating parties.




Read more: [Process and methodology for developing semantic agreements](#), June 2013.

# How to achieve?

## Governance and management of structural metadata

Inter-organisational coordination requires:

- **Metadata governance:** decision mechanism
- **Metadata management:** process to manage the lifecycle of structural metadata
- **Metadata standards and tools:** common standards and tools to support the management process.



## 1. Definitions

- Introductory definitions
  - Interoperability
  - Semantic interoperability
  - How to achieve semantic interoperability?

## 2. Semantic interoperability conflicts

- What conflicts can arise without managing interoperability?
- Data-level conflicts
- Schema-level conflicts


## 3. Examples of existing initiatives

- ISA Programme Action 1.1
- INSPIRE Data Models
- EU Large-scale pilots
- UN/CEFACT
- US National Information Exchange Model

# Without semantic interoperability

## Interoperability conflicts arise

**Semantic conflicts** can occur at **two different levels**, at the **data level** and at the **schema level**. Conflicts on a data level occur due to **data differences** in different domains. Conflicts on **schema level** are semantic conflicts characterized by differences in **logical structures**



How do you interpret this data?

### Data-level conflicts

- Different representation and interpretation of similar data

### Schema-level conflicts

- Different logical structure or inconsistencies in metadata



Schema isomorphism conflict  
i.e. Different attributes on ID  
cards in different states

**More on semantic conflicts:** Peristeras - JIS-2008-34-6-877 - [A conceptual analysis of semantic conflicts in pan-European e-government services](#)

# Data-level conflicts

## Data value

- “adult” = 17 or 18 years old?

## Data representation

- Date formats: DMY, MDY, YMD?

## Data units

- lbs or kg?
- Miles or kilometres

## Data precision

- School grade scales

## Granularity

- “name” = full name or only surname?

**More on semantic conflicts:** Peristeras - JIS-2008-34-6-877 - [A conceptual analysis of semantic conflicts in pan-European e-government services](#)

# Schema-level conflicts

## Naming

- Citizen information is verified against the wrong source\*

## Entity identifier

- Citizens identified by ID card number or national number or none?

## Schema isomorphism

- Different attributes on ID cards in different states

## Generalization

- Birth certificate of one state can contain all info of birth and family certificates of another state

## Aggregation

- "full name" or "surname", "middle name", "first name"

## Schematic discrepancies

- Detailed Information cannot be exchanged due to schematic differences (ex. different xml schemas)

\* **Naming conflicts:** evidence placeholders with the same name but different purpose and usage may exist in different Member States, or evidence placeholders with different names may have similar usage and hold similar evidence items.

**More on semantic conflicts:** Peristeras - JIS-2008-34-6-877 - [A conceptual analysis of semantic conflicts in pan-European e-government services](#)

## 1. Definitions

- Introductory definitions
  - Interoperability
  - Semantic interoperability
  - How to achieve semantic interoperability?

## 2. Semantic interoperability conflicts

- What conflicts can arise without managing interoperability?
  - Data-level conflicts
  - Schema-level conflicts

## 3. Examples of existing initiatives

- ISA Programme Action 1.1 – SEMIC
- INSPIRE Data Models
- Large-scale pilots
- UN/CEFACT
- US National Information Exchange Model (NIEM)



# Examples of existing initiatives

## ISA Programme – Action 1.1




- **ISA supports and facilitates** efficient and effective cross-border electronic collaboration between European public administrations. The programme enables the delivery of electronic public services and ensures the availability, interoperability, re-use and sharing of common solutions.
- **SEMIC** is a European Commission initiative funded under Action 1.1 of the ISA Programme to **improve the semantic interoperability** of interconnected e-Government systems. It focuses on the following activities:
  1. Make visible existing solutions: ADMS & catalogue of semantic standards.
  2. Develop, promote and use core vocabularies at the European, national and local level to reach a minimum level of semantic interoperability.
  3. Foster the interoperability of open data portals by building consensus on the DCAT Application profile for data portals in Europe (DCAT-AP).
  4. Raising awareness on semantic interoperability and metadata management

Sources: <http://ec.europa.eu/isa/> <http://semic.eu>

# Examples of existing initiatives

## ISA Programme – Action 1.1

The Asset Description Metadata Schema (ADMS) is a common way to describe semantic interoperability assets making it possible for everyone to search and discover them.




Source: <https://joinup.ec.europa.eu/asset/adms/description>

# Examples of existing initiatives

## ISA Programme – Action 1.1

### Core Vocabularies: agreements on basic semantics



Part of **action 1.1** highlights the importance to agree on a small set of simplified, reusable, context-free Core Vocabularies as a fundamental semantic basis for interoperable electronic public services.

**Simplified, re-usable, and extensible** data models that capture the fundamental characteristics of a data entity in a context-neutral fashion.



More on Core Vocabularies: see Course Module 2

Source: <http://semic.eu>

# Examples of existing initiatives

ISA Programme – Action 1.1

DCAT: application profile for European data portal

## DCAT

APPLICATION  
PROFILE FOR  
EUROPEAN  
DATA PORTALS

The DCAT Application profile for data portals in Europe (DCAT-AP) is a specification based on the Data Catalogue vocabulary (DCAT) for describing public sector datasets in Europe. Its basic use case is to enable cross-data portal search for data sets and make public sector data better searchable across borders and sectors. This can be achieved by the exchange and federation of descriptions of data sets among data portals

# Examples of existing initiatives

## ISA Programme – Action 1.1

### Raising awareness on semantic interoperability and metadata management

*To bring the issue of semantic interoperability to the attention of policy makers and ICT solution developers, a Semantic Interoperability Conference (SEMIC) is held annually.*

*Furthermore, Action 1.1 acts as an observatory and brings news and events about initiatives and issues related to semantic interoperability to the [Joinup platform](#) and to social media such as [Twitter](#), and [LinkedIn](#).*



# Examples of existing initiatives

## INSPIRE Data Models

- The **INSPIRE directive** aims to create a European Union (EU) spatial data infrastructure. This will enable the **sharing of** environmental spatial information among public sector organisations and **better facilitate** public access to spatial information across Europe.
- A **European Spatial Data Infrastructure** will assist in policy-making across boundaries. Therefore the spatial information considered under the directive is extensive and includes **a great variety of topical and technical themes.**

### Themes:

- Agricultural and Aquaculture Facilities
- Area Management / Restriction / Regulation Zones and Reporting Units
- Atmospheric Conditions and Meteorological Geographical Features
- Bio-geographical Regions
- Buildings
- Energy Resources
- Geology
- Habitats and Biotopes
- Land Cover
- Mineral Resources
- Natural Risk Zones
- Oceanographic geographical features
- Orthoimagery
- Population Distribution
- Sea Regions
- Species Distribution
- Statistical Units



# Examples of existing initiatives

## Semantic interoperability solutions by EU large-scale pilots

The "**Large Scale Pilot**" projects (LSPs) develop practical solutions tested in real government service cases **across Europe**. The LSP Programme is active **in five main areas**; eID, eProcurement, eBusiness, eHealth and eJustice to engage public authorities, service providers and research centres across the EU.

### Examples of large scale pilots are:

- [e-CODEX](#): making justice faster
- [epSOS](#): making healthcare better
- [Stork](#): making access smarter
- [SPOCS](#): making business easier
- [PEPPOL](#): making procurement better
- [e-SENS](#): move services forward



# Examples of existing initiatives

## UN/CEFACT Core Component Technical Specification (CCTS)

Within the United Nations framework of the Economic and Social Council, the United Nations Economic Commission for Europe (UNECE) serves as the focal point for trade facilitation recommendations and electronic business standards, covering both commercial and government business processes that can foster growth in international trade and related services. In this context, the United Nations Centre for Trade Facilitation and Electronic Business (UN/CEFACT) was established, as a subsidiary, intergovernmental body of the UNECE Committee on Trade, mandated to develop a programme of work of global relevance to achieve improved worldwide coordination and cooperation in these areas.

### *Methodology for:*


- *creating new business vocabularies*
- *restructuring existing business vocabularies to achieve semantic interoperability of data.*



# Examples of existing initiatives

## NIEM (US initiative)

- NIEM—the National Information Exchange Model—is a community-driven, government-wide, standards-based approach to exchanging information.
- NIEM is designed as a core set of building blocks that are used as a consistent baseline for creating exchange documents and transactions across government.
- NIEM is a framework consisting out of 2 key Components:
  - A data dictionary of 6,000 agreed-upon terms that are commonly used in an information exchange, and
  - A repeatable, reusable process for developing information exchange requirements



Source: <https://www.niem.gov/Pages/default.aspx>

# References

European Interoperability Framework (EIF) for European public services.  
[http://ec.europa.eu/isa/documents/isa\\_annex\\_ii\\_eif\\_en.pdf](http://ec.europa.eu/isa/documents/isa_annex_ii_eif_en.pdf)

ISO/IEC 11179-1, Information Technology – Metadata Registries (MDR) – Part 1: Framework (2004)

NISO, Understanding Metadata, 2004.  
<http://www.niso.org/publications/press/UnderstandingMetadata.pdf>

Peristeras, V., Loutas, N., Goudos, S. K., & Tarabanis, K. (2008). A conceptual analysis of semantic conflicts in pan-European e-government services. *Journal of Information Science*, 34(6), 877-891.



**Project Officers** Vassilios.Peristeras@ec.europa.eu  
Suzanne.Wigard@ec.europa.eu  
Athanasios.Karalopoulos@ec.europa.eu

## Visit our initiatives



## Get involved

 Follow [@SEMICEu](https://twitter.com/SEMICEu) on Twitter

 Join the [SEMIC](#) group on LinkedIn

 Join the SEMIC community on Joinup